

**SAFETYBOX®**  
**STORAGE**  
**COMPRESSED**  
**GAS**

Safety cabinets for the storage of compressed gas cylinders in compliance with **EN 14470-2**, **EN 14727**.  
Outdoor compressed gas cylinder storage, SINAL tested.

**INDEX**

INDOOR COMPRESSED GAS CYLINDER STORAGE .....41  
OUTDOOR COMPRESSED GAS CYLINDER STORAGE ...43  
ACCESSORIES .....45

**BC 1350 GS**  
**BC 650 GS**

Indoor safety cabinet for the storage of compressed gas cylinders, TÜV certified.




BC 1350 GS




BC 650 GS



- Completely produced in pickled steel, 10/10 mm thickness, painted with epoxide acid-proof dusts and passage through thermic tunnel at 200°C. Thickness of painting from a minimum of 60µm (micron) to a maximum of 250µm (micron) as per UNI EN ISO 9001 procedure.
- **External monolithic construction, internal body resistant to corrosive products.**
- Fire-proof insulation made of highly fire resistant material, completely ecological.
- **Double, inflatable and anti-dust trimmings, and with protection against "cold and hot fumes".**
- Hinged closing door.
- Two mechanical certified safety valves with automatic closure at 70 ± 10°C. (Ø 100 mm).
- **Predisposed for piping gas installations.**
- **Space available for gas adaptor fittings and main gas flow command panel.**
- Brackets for gas cylinders' holding.
- Metal ramp to enable an easy placement of the cylinders in the cabinet.
- Security lock with key and extractable cylinder.
- "Fire" and "No smoking" warning stickers as per European Norms (DIN 4844 and ISO 3864).
- Grounding connection to discharge build-up of static electricity.
- 4 Levelling feet for balance.
- **"Product and public liability insurance" valid for all lifelong of the cabinet.**
- Usage and maintenance manual.
- **Packaging with "Tipping over system®" device.**



**BC 1350 GS**  
 -External dimensions (LxDxH): 1300x600x2000 mm  
 -Internal dimensions (LxDxH): 1165x500x1845 mm  
 -Weight: 460 Kg  
 -Storage capacity: ~1088 lt



**BC 650 GS**  
 -External dimensions (LxDxH): 680x600x2000 mm  
 -Internal dimensions (LxDxH): 565x500x1845 mm  
 -Weight: 300 Kg  
 -Storage capacity: ~520 lt


# DEPOSITO BOMBOLE

Modular unit for outdoor storage of compressed gas cylinders.



TESTED BY ACCREDITED SIGNAL AUTHORITY

SD3

















**SD3**  
 -External dimensions (LxDxH): 960x880x2400 mm  
 -Weight: 262 Kg

- Folded and welded steel panels onto girders to avoid structural deflection.  
 Supplied with adjustable legs for fixing onto concrete base.  
 Panel cavities may be filled with sand or concrete once fixed to the base.
- Produced with electrogalvanized steel and outlines, painted with epoxide and polyester acid-proof dusts electrostatically applied through thermic tunnel at 200°C.
- Modular design (see below).
- Fitted with continuous earthing system for each unit.
- Modular roof construction made of tarred corrugated board, fixed onto a varnished steel load bearing support.
- P.V.C. rain gutter.
- Front doors with anti-intrusion mesh, supplied with safety lock.
- Possibility to store fuel and oxidizing separately.
- "Product and public liability insurance" valid for all lifelong of the cabinet.

OTHER AVAILABLE MODELS

MODULAR BOX DISASSEMBLED SUPPLIED

PACKING AND WEIGHT	DIMENSIONS	CODE AND DESCRIPTION
 <p>m³ 1,92                      1 Pallet                      Gross weight 395                      Net weight 377</p>		<p>Deposito Bombole SD6</p> <p>Dimensions:                      (LxDxH) 1760x880x2400mm</p>
 <p>m³ 1,92                      1 Pallet                      Gross weight 466                      Net weight 448</p>		<p>Deposito Bombole SD3+3</p> <p>Dimensions:                      (LxDxH) 1840x880x2400mm</p>
 <p>m³ 2,30                      1 Pallet                      Gross weight 586                      Net weight 568</p>		<p>Deposito Bombole SD6+3</p> <p>Dimensions:                      (LxDxH) 2640x880x2400mm</p>
 <p>m³ 2,30                      1 Pallet                      Gross weight 568                      Net weight 550</p>		<p>Deposito Bombole SD10</p> <p>Dimensions:                      (LxDxH) 1760x1680x2400mm</p>
 <p>m³ 2,88                      1 Pallet                      Gross weight 781                      Net weight 683</p>		<p>Deposito Bombole S6+6</p> <p>Dimensions:                      (LxDxH) 3440x880x2400mm</p>
 <p>m³ 1,92x2                      1 Pallet                      Gross weight 911                      Net weight 875</p>		<p>Deposito Bombole S6+6+3</p> <p>Dimensions:                      (LxDxH) 4320x880x2400mm</p>
 <p>m³ 1,92x2                      1 Pallet                      Gross weight 945                      Net weight 909</p>		<p>Deposito Bombole S10+10</p> <p>Dimensions:                      (LxDxH) 3440x1680x2400mm</p>

# Accessories



**CONTAINER**  
for small gas cylinders  
(LxDxH) 440x200x420 mm.



**INTERNAL FILTRATION SYSTEM**  
with activated charcoal filter  
and **Cunctator®**.



**UNICUM ASPIRATOR AND FILTER**  
in a single box  
(possibility to supply it  
with thermostat).



**ANTI-SPARK OR ATEX ASPIRATORS**  
220V/230V.



**EXHAUST FUMES CONVEYOR**